



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/799,509	03/12/2004	Dennis L. Weaver	BSS0021	2370

27268 7590 10/16/2007
BAKER & DANIELS LLP
300 NORTH MERIDIAN STREET
SUITE 2700
INDIANAPOLIS, IN 46204

EXAMINER

NGUYEN, LUONG TRUNG

ART UNIT	PAPER NUMBER
----------	--------------

2622

MAIL DATE	DELIVERY MODE
-----------	---------------

10/16/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/799,509

Applicant(s)

WEAVER, DENNIS L.

Examiner

LUONG T. NGUYEN

Art Unit

2622

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 July 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5-14,16-21 and 31-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 5,6,8-10,16,17,19-21 and 31-44 is/are allowed.
- 6) ☒ Claim(s) 1-3,7,11-14 and 18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

1. The allowable of originally filed dependent claims 4 and 15, which have been canceled and their limitations have been incorporated in amended independent claims 1 and 11, have been withdrawn due to newly founded reference to Mahlab (US 3,732,368). Therefore the Office Action made on 05/02/2007 has been withdrawn. A new non- final office action sets forth below.

Claim Objections

2. Claims 5-6, 16-17, 31-33, 37-40 are objected to because of the following informalities:

Claim 5 (line 16), claim 16 (line 20), "said slot" should be changed to --said arcuate slot--.

Claims 6, 31-33 are objected as being dependent on claim 5.

Claims 17, 37-40 are objected as being dependent on claim 16.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2622

4. Claims 1-2, 7, 11-13, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Korling (US 4,341,452) in view of Mahlab (US 3,732,368).

Regarding claim 1, Korling discloses a mounting assembly (camera mount 10, figures 1-3) for mounting a camera (camera 12, figures 1-3) to a support structure, the camera having a camera body and a lens (lens 14, figures 1-3), said assembly comprising:

a first bracket (mounting plate 34 and bracket 32, figures 1-3, column 8, lines 37- 52) being fixable relative to the camera body wherein said first bracket supports the camera;

a second bracket (inner yoke 24, figure 1-3, column 8, lines 3- 45) supportingly engaging said first bracket, said first bracket being rotatable about a first axis (axis C, figure 3, column 8, lines 3- 45) relative to said second bracket;

a third bracket (outer yoke 20, figure 1-3, column 8, lines 3- 45) supportingly engaging said second bracket, said second bracket being rotatable about a second axis (axis B, figure 3, column 8, lines 3- 45) relative to said third bracket, said first and second axes being substantially mutually perpendicular, said third bracket being supportingly securable to the support structure wherein said third bracket is rotatable about a third axis (axis A, figure 3, column 7, lines 65-67) relative to the support structure, said second and third axes being substantially mutually perpendicular; and

wherein at least two of said first, second and third brackets are relatively translatable along a substantially linear length and wherein said first, second and third brackets are securable relative to said support structure whereby the camera may be fixedly mounted in a selected position (figures 1-3, column 7, line 37 – column 8, lines 45);

Art Unit: 2622

wherein said second and third brackets being engaged together by first and second fasteners (bolts 48 included in pivot assemblies 26, figures 1- 3, column 8, lines 18- 44).

Korling fails to specifically disclose wherein said second bracket defines a first linear slot and a second linear slot, said first fastener extending through said first slot and said second fastener extending through said second slot wherein said first and second fastener define said second axis and wherein said first and second fasteners are slidable in said first and second slots respectively. However, Mahlab teaches a surveillance unit, which comprises bracket 21 which defines a first linear slot and a second linear slot; the surveillance subunit 9 is supported by elongated arms 11 and 12 which are coupled to surveillance subunit 9 by wing nuts 13 and 13', wing nuts 13 and 13' are loosen and slidable, and the camera viewing axis is substantially aligned with viewport 22 before assembling (figures 1-2, column 2, line 45 –column 3, line 24). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Korling by the teaching of Mahlab in order to increase to view angle of a camera in vertical direction.

Regarding claim 2, Korling discloses wherein said second bracket is linearly translatable relative to said third bracket (figure 1-3).

Regarding claims 7, 18, Korling discloses wherein said third bracket is pivotally mounted to the support structure with a fastener (thread nut 44, figure 2, column 7, lines 59-67), said fastener defining said third axis.

Regarding claim 11, all the limitations are contained in claim 1, except for the limitation "surveillance camera" is also disclosed in Korling (Korling discloses camera which can be moved to different visual area, angle or position; this indicates that camera in Korling is a surveillance camera, column 1, lines 5-12, lines 33-36).

Regarding claim 12, Korling discloses wherein said first bracket is directly secured to said camera body (camera 12 is mounted on plate 34, figures 1-3).

Regarding claim 13, Korling discloses wherein said second bracket is linearly translatable relative to said third bracket (figures 1-3).

5. Claims 3, 14 are rejected 103 (a) over Korling (US 4,341,452) in view of Mahlab (US 3,732,368) further in view of Paff et al. (US 4,833,534).

Regarding claims 3, 14, Korling and Mahlab fail to specifically disclose a substantially hemispherical dome, the camera being mountable within said dome, said dome being substantially transparent when viewing outwardly from a position within said dome, said dome being substantially opaque when viewed from a position external to said dome. However, Paff et al. teaches a surveillance assembly, which comprises dome-like cover 15, camera assembly 14, dome-like cover 15 is transparent when viewing from a position within the dome-like cover 15, the dome-like cover is a opaque inner dome-like (figure 3, column 1, lines 40-42, column 4, lines 4-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the

Art Unit: 2622

invention was made to modify the device in Korling and Mahlab by the teaching of Paff et al. in order to prevent camera from damaged caused by weather.

Allowable Subject Matter

6. Claims 5-6, 8-10, 16-17, 19-21, 31-44 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 5, 9, 16, 20, the prior art of the record fails to show or fairly suggest a mounting assembly for mounting a camera to a support structure, said assembly comprising wherein said second bracket defines at least one arcuate slot and said assembly further includes a fastener extending through said arcuate slot and engaging said first bracket, wherein repositioning said fastener in said arcuate slot rotates said first bracket relative to said second bracket about said first axis, in combination with other claim elements.

Claims 6, 31-33 are allowed for the reason given in claim 5.

Claims 10, 34-36 are allowed for the reason given in claim 9.

Claims 17, 37-40 are allowed for the reason given in claim 16.

Claims 21, 41-44 are allowed for the reason given in claim 20.

Regarding claims 8, 19, the prior art of the record fails to show or fairly suggest a mounting assembly for mounting a camera to a support structure, said assembly comprising wherein said second bracket defining at least one arcuate slot, a fourth fastener extending through said arcuate slot and engaging said first bracket wherein repositioning said fourth

Art Unit: 2622

fastener in said arcuate slot rotates said first bracket relative to said second bracket about said first axis, in combination with other claim elements.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUONG T. NGUYEN whose telephone number is (571) 272-7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DAVID L. OMETZ can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LN
10/14/07



**LUONG T. NGUYEN
PATENT EXAMINER**